


1. (Previously presented) A compound according to the structure:



where X is  $(\text{CH}_2)_m\text{COR}$

R is a  $\text{C}_1$  to  $\text{C}_5$  alkyl group optionally substituted with at least one halogen group, and m is from 0-5, and pharmaceutically acceptable salts, solvates or polymorphs thereof.


2. (Original) The compound according to claim 1 wherein R is a  $\text{C}_1$  to  $\text{C}_5$  alkyl group optionally substituted with at least one halogen group and m is from 0-5.
3. (Original) The compound according to claim 1 wherein R is methyl, ethyl, propyl, iso-propyl, butyl, iso-butyl, pentyl, neo-pentyl or  $\text{CH}_2\text{CH}_2\text{F}$ ; and m is 0.
4. (Original) The compound according to claim 3 wherein m is 0 and R is methyl, ethyl or  $\text{CH}_2\text{CH}_2\text{F}$ .
5. (Original) The compound according to claim 4 wherein R is methyl.
6. (Original) The compound according to claim 4 wherein R is ethyl.
7. (Original) The compound according to claim 4 wherein R is  $\text{CH}_2\text{CH}_2\text{F}$ .

Y03-078.USsuppamd 9-15-05  
S.N. 10/796,462

-2-

**BEST AVAILABLE COPY**

8. (Original) The compound according to claim 1 wherein E is  $\text{CH}_2\text{CHF}_2$ .
9. (Original) The compound according to claim 1 wherein E is  $\text{CH}_2\text{CF}_3$ .
10. (Original) A compound according to claim 1, wherein F is a  $\text{C}_1$  to  $\text{C}_5$  alkyl, which may be unsubstituted or substituted with at least one F group.
11. (Previously presented) The compound according to claim 9 wherein R is methyl, ethyl or  $\text{CH}_2\text{CH}_2\text{F}$ .
12. (Currently amended) A pharmaceutical composition consisting essentially of an effective amount of a compound for alleviating the symptomology of menopause in a patient, said compound having the structure:




R is H or a  $\text{C}_1$  to  $\text{C}_5$  alkyl group optionally substituted with at least one halogen group, and m is from 0-5, and pharmaceutically acceptable salts, solvates or polymorphs thereof, optionally in combination with a pharmaceutically acceptable carrier, excipient or additive.

Y03-078.USsuppamd 9-15-05  
S.N. 10/796,462

-3-

13. (Previously presented) The composition according to claim 12 wherein R is a C<sub>1</sub> to C<sub>5</sub> alkyl group optionally substituted with at least one fluorine group, and m is from 0-2.
14. (Original) The composition according to claim 12 wherein R is methyl, ethyl, propyl, isopropyl, butyl, iso-butyl, pentyl, neo-pentyl, CH<sub>2</sub>CH<sub>2</sub>F or CH CF<sub>3</sub> and m is 0.
15. (Original) The composition according to claim 14 wherein m is 0 and R is methyl, ethyl or CH<sub>2</sub>CH<sub>2</sub>F.
16. (Original) The composition according to claim 14 wherein R is methyl.
17. (Original) The composition according to claim 14 wherein R is ethyl.
18. (Original) The composition according to claim 14 wherein R is CH<sub>2</sub>CH<sub>2</sub>F.
19. (Original) The composition according to claim 12 in topical dosage form.
20. (Original) The composition according to claim 12 formulated as a vaginal cream, gel, lotion or suppository.
21. (Currently amended) A method for alleviating the symptoms of menopause, comprising administering to a patient in need of therapy a pharmaceutical composition comprising an effective amount of a compound according to the structure:



R is H or a C<sub>1</sub> to C<sub>5</sub> alkyl group, optionally substituted with at least one halogen group, and m is from 0-5, and pharmaceutically acceptable salts, solvates or polymorphs thereof, optionally in combination with a pharmaceutically acceptable carrier, excipient or additive.

22. (Original) The method according to claim 21 wherein R is a C<sub>1</sub> to C<sub>5</sub> alkyl group or a CH<sub>2</sub>CH<sub>2</sub>F group; and m is from 0-2.

23. (Original) The method according to claim 21 wherein said symptom of menopause is selected from the group consisting of bone loss associated with osteoporosis and vaginal dyspareunia.

24. (Original) The method according to claim 21 wherein said symptom of menopause is vaginal dyspareunia and said composition is administered to the patient's vaginal membranes.

25. (Original) The method according to claim 22 wherein R is methyl.


26. (Original) The method according to claim 22 wherein R is ethyl.

27. (Original) The method according to claim 22 wherein R is CH<sub>2</sub>CH<sub>2</sub>F.

Y03-078.USsuppamd 9-15-05  
S.N. 10/796,462

-5-

28. (Original) The method according to claim 22 wherein R is  $\text{CH}_2\text{CHF}_2$ .
29. (Original) The method according to claim 22 wherein R is  $\text{CH}_2\text{CF}_3$ .
30. (Original) The method according to claim 24 wherein said composition is administered as a vaginal cream, gel, lotion or suppository.
31. (Original) The method according to claim 21 wherein said composition is administered within the patient's body from an implant.
32. (Original) The method according to claim 21 wherein said symptom of menopause is bone loss associated with osteoporosis and said composition is administered within the patient's body from an implant.
33. (Previously presented) A compound according to the structure:



where X is  $(\text{CH}_2)_m\text{COR}$ ;

R is H, and

m is from 0, 2, 3, 4, or 5, and pharmaceutically acceptable salts, solvates or polymorphs thereof.

Y03-078.USsuppamd 9-15-05  
S.N. 10/796,462


-6-

34. (Previously presented) The compound according to claim 33 wherein m is 0.

35. (Previously presented) The compound according to claim 33 wherein m is 2, 3, 4, or 5.

The following claims are new:

36. (New) A pharmaceutical composition consisting essentially of an effective amount of a compound for alleviating the symptomology of menopause in a patient, said compound having the structure:



where X is  $(CH_2)_mCOR$ ;

R is H, and

m is from 0, 2, 3, 4, or 5, and pharmaceutically acceptable salts, solvates or polymorphs thereof, optionally in combination with a pharmaceutically acceptable carrier, excipient or additive.

37. (New) The composition according to claim 36 wherein m is 0.

38. (New) The composition according to claim 36 wherein m is 2, 3, 4, or 5.

Y03-078.USsuppamd 9-15-05  
S.N. 10/796,462

-7-

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**